



SaniDate[®]

DISINFECTANT

SPECIMEN LABEL AND MSDS

1. IDENTIFICATION

Product Name: SaniDate Disinfectant[®]

Product Type: Bactericide / Fungicide / Algacide

Manufacturer: BioSafe Systems LLC,

22 Meadow Street East Hartford, CT 06108

Office Telephone Number (860) 290-8890

Emergency: CHEMTREC: 800-424-9300 (24 HOURS EVERY DAY)

Creation Date: November 2007

NOTE: NOT VALID TWO YEARS AFTER CREATION DATE.

EPA Registration No. 70299-7

EPA Establishment No. 60156-IL-001

2. HAZARDOUS COMPONENTS

Hydrogen Peroxide 7722-84-1

Peroxyacetic Acid 79-21-0

3. HEALTH HAZARDS DATA

Health effects from over exposure to CONCENTRATE

- Corrosive to mucous membranes, eyes and skin
- The seriousness of the lesions and the prognosis of intoxication depend directly on the concentration and duration of exposure.

Skin: May cause TEMPORARY skin discoloration and irritation

Eyes: May cause severe eye damage

Ingestion: HARMFUL OR FATAL: Causes chemical burns of mouth, throat and stomach.

- Corrosive to gastrointestinal tract
- Paleness and cyanosis of the face
- Excessive fluid in the mouth and nose
- Bloating of stomach and belching
- Nausea and vomiting
- Risk of chemical pneumonitis and pulmonary edema

Inhalation: Vapors or mist can cause irritation. People with asthma or other lung problems may be more affected.

4. FIRST AID

General Recommendations:

- In case of product splashing in eyes, treat eyes first
- Submerge soiled clothing in water
- Contact physician in all cases

Eyes: Immediately flush with plenty of cool running water. Remove contact lenses. Continue flushing for at least 15 minutes, holding eyelids apart to ensure rinsing of the entire eye. Administer analgesic eyewash (oxybuprocaine) Call a physician immediately.

Skin: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Ingestion: Rinse mouth at once; then drink 1 or 2 large glasses of water or milk. DO NOT induce vomiting. NEVER give anything by mouth to an unconscious person. Take person to the hospital.

Inhalation: Immediately move a person to fresh air.

5. FIRE AND EXPLOSION DATA

- Special fire hazards: Product (concentrate) can decompose and will release oxygen thereby adding to the fire hazard.
- Fire fighting methods: Product is not flammable and can be quickly diluted with clean water.
- Oxidizing Agent may cause spontaneous ignition with oxidizing agents.

6. SPILL OR LEAK PROCEDURES

- Cleanup: Rinse small amounts to drain when possible. Dike or dam large spills, pump to containers or soak in inert absorbent. Flush

residue to sanitary sewer, rinse area thoroughly with clean water.

- Avoid materials that are incompatible with concentrate.
- Waste Disposal: Consult state and local authorities for restrictions on disposal of chemical wastes. Unused product (concentrate) is classified as a (D002) by RCRA criteria.

7. HANDLING AND STORAGE

- Never return product back to the original container
- Keep concentrate away from reactive substances
- Prevent contact with organic materials
- Keep product in original container
- Store in cool, ventilated area
- Keep out of direct sunlight
- Never use metal containers or spigots
- Use vented container
- Warn personnel of dangers of concentrated product

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory: Avoid breathing mists or vapors of concentrate.

Eyes: Use chemical splash goggles when handling concentrate.

For continued severe exposure, wear a face shield over the goggles.

Skins: Rubber gloves - protective or gauntlet type preferred when handling concentrate. Use aprons.

ACGIH TLV: 1 PPM 8 HOUR TWA 1.4 mg/m³ TWA
OSHA PEL: 1 PPM 8 HOURS TWA 1.4 mg/m³ TWA

Respiratory protection:

- NIOSH approved full-face respirator for excessive conditions
- Hand gloves for handling concentrate = butyl rubber
- Eye protection - chemical proof goggles/face shield for splash risk
- Skin protection - coveralls when handling concentrate

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Odor: Pungent

Freezing Point: -30 C (-22F)

Boiling Point: Not applicable, product decomposes

Specific gravity: 1.09

pH: 1.33

Solubility: Complete

Decomposition temperature: self-accelerating decomposition temp. > 55°C

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions, with slow oxygen release.

Conditions to avoid: Heat / Direct Sunlight

Materials to avoid: - Acids - Bases - Reducing Agents - Organic Materials - Metals - Salts of Metals

11. TOXICOLOGICAL INFORMATION

Acute Toxicology:

- Oral route, LD50, rat 330 mg/kg. Test substance 7% solution.
- Dermal route, LD50 rabbit, 1410 mg/kg. Test substance: 10% solution
- Inhalation, LD50, four hours, rat 4080 mg/kg. Test substance: 5% solution

Irritation:

- Rabbit, corrosive (eyes) Test substance: 4% solution
- Rabbit, corrosive (skin) Test substance 5% solution
- Rat, irritant (respiratory tract)

Chronic Toxicity:

- Dermal => 0.12% solution, irritating effect
- Inhalation => 5 mg. m³, irritant
- Route of entry = Inhalation / ingestion

12. ECOLOGICAL INFORMATION

Toxic to simple cell and aquatic organisms.

Danger to the environment limited; due to product properties.

- No bioaccumulation
- Soil degradation = 99% in 20 minutes
- Considerable abiotic and biotic degradability
- Sediments = Non-significant adsorption
- Weak persistence of degradation products
- Degradation products = water & oxygen

Acute Ecotoxicity:

- Fish, Rainbow trout LC50, 48 hours > 40 mg/L
- Crustaceans, EC 50,48 hours 126.8 mg/1 l mg/L
- Bacteria, Pseudomonas aeruginosa, EC 100, 5minutes, % 5mg/L

13. DISPOSAL CONSIDERATIONS

• Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

• Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed of according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

• Triple rinse (or equivalent). Then offer for recycling or dispose in a sanitary landfill, or incineration, if allowed by state and local authorities by burning. Stay out of smoke.

14. TRANSPORT INFORMATION

DOT Shipping Name: Hydrogen Peroxide and peroxyacetic acid mixture, stabilized, not more than 5% Peroxyacetic acid.

UN Number: 3149

Hazard Class: 5.1

Primary Hazard Label: Oxidizer

Subsidiary Risk Label: Corrosive

Packing Group: II

Shipping Container: UN Certified vented polyethylene. 2.5, 5, 30, 55 and 275 gallon polyethylene drums

Regulatory Information

TSCA Inventory List: YES

CERCLA Hazardous Substance (40 CFR 302)

Listed substance: NO

Unlisted Substance: YES

Characteristic: Corrosive

Reportable Quantity: 100 pounds

NFPA Rating Health - 2 Flammability - 0 Reactivity - 3 Special - OXY

HMS Rating Health - 2 Flammability - 0 Reactivity - 2 PPE - Required

Canadian WHMIS Classification

C - Oxidizing E - Corrosive F - Dangerously Reactive

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability in connection with the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed.

©2007 Copyright BioSafe Systems LLC. © SaniDate Disinfectant is a registered trademark of BioSafe Systems LLC. Always read and follow label directions. Form #9013b 11/07